

| manuf_partno    | MANUFACTURER | DESCRIPTION   | LIST DISCOUNT | SOURCE  |
|-----------------|--------------|---|---------------|---|
| 1013DJ/222-5690 | Dell         | (OCONUS PROJECT ONLY-TO SHIP FROM OIT)<br>OptiPlex 745 Minitower, Core 2 Duo<br>E6400/2.13GHz, 2M 1066FSB, 2.0GB RAM, Intel<br>Gigabit NIC, 256MB video, 80GB hard drive, 16X<br>DVD+/-RW, 2nd Serial Port, 19" LCD Monitor,<br>Windows XP Pro, 3 year On-Site Warranty for Asia<br>Pacific                                 | 18%           | Workstations, Thin Client<br>Desktops & Notebooks |
| 1013DK/222-5690 | Dell         | (OCONUS PROJECT ONLY-TO SHIP FROM OIT)<br>OptiPlex 745 Minitower, Core 2 Duo<br>E6400/2.13GHz, 2M 1066FSB, 2.0GB RAM, Intel<br>Gigabit NIC, 256MB video, 80GB hard drive, 16X<br>DVD+/-RW, 2nd Serial Port, 19" LCD Monitor,<br>Windows XP Pro, 3 year On-Site Warranty for<br>Europe/Middle East/Africa                    | 18%           | Workstations, Thin Client<br>Desktops & Notebooks |
| 6681            | Dell         | (OCONUS-GERMANY) Latitude D410T, Pentium M<br>770 (2.13GHZ) 12.1 XGA  | 18%           | Workstations, Thin Client<br>Desktops & Notebooks |
| 6682            | Dell         | (OCONUS-SINGAPORE) Latitude D410T, Pentium<br>M 770 (2.13GHZ) 12.1 XGA  | 18%           | Workstations, Thin Client<br>Desktops & Notebooks |
| 1013JY/222-5690 | Dell         | (USVISIT) OptiPlex 745 Minitower, Core 2 Duo<br>E6400, 2.13GHz, 2M cache, 4.0GB RAM, Intel<br>Gigabit NIC, 256MB video, 80GB hard drive, 16X<br>DVD+RW/+R and 16X DVD, 2nd Serial Port,<br>Firewire 1394 Controller Card, Windows XP Pro, 3<br>year On-Site Warranty, Viewsonic 20" LCD monitor<br>with integrated speakers | 18%           | Workstations, Thin Client<br>Desktops & Notebooks |
| 341-4764        | Dell         | 120GB Hard Drive 9.5MM 7200RPM for Latitude<br>D63X Customer Install - Accessory  | 18%           | Workstations, Thin Client<br>Desktops & Notebooks |
| 310-7933        | Dell         | 2-Button USB Optical Mouse with Scroll Wheel -<br>Accessory   | 18%           | Workstations, Thin Client<br>Desktops & Notebooks |
| -1953           | Dell         | 3.0GHz/2x2MB Cache, Xeon, 7041800MHz FSB for<br>PowerEdge 6850  | 18%           | Workstations, Thin Client<br>Desktops & Notebooks |
| 310-8814        | Dell         | 65-Watt Slim Combination Adapter for Select Dell<br>Latitude/ Inspiron/ Precision/ XPS Notebooks -<br>Accessory   | 18%           | Workstations, Thin Client<br>Desktops & Notebooks |
| 313-4323        | Dell         | A225 Two-piece Stereo Speaker System for Select<br>Dell OptiPlex Desktop / Precision WorkStation<br>Systems - Customer Install - Accessory  | 18%           | Workstations, Thin Client<br>Desktops & Notebooks |

|           |      |  |     |   |
|-----------|------|--|-----|---|
| 1005836   | Dell | BASE UNIT: DUAL CORE XEON PROCESSOR 5130 4MB CACHE, 2.00GHZ, 1333MHZ FSB, PE 2900 (222-3392) PROCESSOR: DUAL CORE XEON 2ND PROCESSOR 5130, 4MB CACHE, 2.00GHZ 1333MHZ FSB, PE 2900 MEMORY: 4GB 533MHZ (8X512MB), SINGLE RANKED DIMMS VIDEO CARD: BROADCOM TCP/IP OFFLOAD ENGINENOT ENABLED HARD DRIVE: 4X 73GB, SAS, 3.5-INCH 15K RPMHARD DRIVE HARD DRIVE CONTROLLER: PERC 5/I, INTEGRATED CONTROLLER CARD OPERATING SYSTEM: NO OPERATING SYSTEM, MICROSOFT NIC: MODEM: DELL REMOTE ACCESS CARD, 5TH GENERATION   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 243290813 | Dell | Base Unit:   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 243290813 | Dell | 3.16GHz/1MB Cache, Xeon Redundant, PowerEdge 6850 (221-7516)<br>Base Unit:   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 243287504 | Dell | 3.16GHz/1MB Cache, Xeon Redundant, PowerEdge 6850 (221-7516)<br>Base Unit:   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 243287504 | Dell | Enclosure with no Blades, 2 Power Supplies for PowerEdge 1855 (221-8101)<br>Base Unit:   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 1000914   | Dell | Enclosure with no Blades, 2 Power Supplies for PowerEdge 1855 (221-8101)<br>BASE UNIT:<br><br>ML6010 CONTROL MODULE LTO-3 2- DRIVE SCSI REDUNDANT POWER, 5U-R (222-6137) CABLE: 2 EXTERNAL 4M SCSI CABLE VHDCI/68 PIN FOR ML6000 SERVICE: DECLINED CRITICAL BUSINESS CRITICAL SERVER OR STORAGE SUPPORT PACKAGE-CALL YOUR DELLSALES REP IF UPGRADE NEED SERVICE: TYPE 3 CONTRACT - NEXTBUSINESS DAY PARTS AND LABORON-SITE RESPONSE, INITIAL YEAR SERVICE: TYPE 3 CONTRACT - NEXTBUSINESS DAY PARTS AND LABORON-SITE RESPONSE, 2YR EXTENDED SERVICE: THANK YOU FOR BUYING DELL<br><br>SERVICE: PLEASE VISIT WW | 18% | Workstations, Thin Client<br>Desktops & Notebooks |

221-8363

Dell

18%

Workstations, Thin Client  
Desktops & Notebooks

OptiPlex GX620 Minitower Pentium 4  
670/3.8GHz,2M,800FSBHyperThreading (221-  
8363)

Processor:

NTFS File System,Factory Install (420-3699)

Memory:

4.0GB,Non-ECC,533MHz DDR2 4x1GB,OptiPlex  
GX620 (311-5019)

Keyboard:

Smart Card Reader, USBKeyboardin Gray,  
OptiPlex (310-6612)

Monitor:

Dell UltraSharp 1707FP Flat Panel with Height  
Adjustable Stand,17.0 Inch VIS,OptiPlex and  
Latitude (320-4565)

221-8363

Dell

18%

Workstations, Thin Client  
Desktops & Notebooks

OptiPlex GX620 Minitower Pentium 4  
670/3.8GHz,2M,800FSBHyperThreading (221-  
8363)

Processor:

NTFS File System,Factory Install (420-3699)

Memory:

4.0GB,Non-ECC,533MHz DDR2 4x1GB,OptiPlex  
GX620 (311-5019)

Keyboard:

Smart Card Reader, USBKeyboardin Gray,  
OptiPlex (310-6612)

Monitor:

Dell UltraSharp 1707FP Flat Panel with Height  
Adjustable Stand,17.0 Inch VIS,OptiPlex and  
Latitude (320-4565)

221-8363

Dell

18%

Workstations, Thin Client  
Desktops & Notebooks

OptiPlex GX620 Minitower Pentium 4  
670/3.8GHz,2M,800FSBHyperThreading (221-  
8363)

Processor:

NTFS File System,Factory Install (420-3699)

Memory:

4.0GB,Non-ECC,533MHz DDR2 4x1GB,OptiPlex  
GX620 (311-5019)

Keyboard:

Smart Card Reader, USBKeyboardin Gray,  
OptiPlex (310-6612)

Monitor:

Dell UltraSharp 1707FP Flat Panel with Height  
Adjustable Stand,17.0 Inch VIS,OptiPlex and  
Latitude (320-4565)

|           |      |  |     |   |
|-----------|------|--|-----|---|
| 221-8363  | Dell | <p>OptiPlex GX620 Minitower Pentium 4<br/>670/3.8GHz,2M,800FSBHyperThreading (221-8363)</p> <p>Processor:</p> <p>NTFS File System,Factory Install (420-3699)</p> <p>Memory:</p> <p>4.0GB,Non-ECC,533MHz DDR2 4x1GB,OptiPlex GX620 (311-5019)</p> <p>Keyboard:</p> <p>Smart Card Reader, USBKeyboardin Gray, OptiPlex (310-6612)</p> <p>Monitor:</p> <p>Dell UltraSharp 1707FP Flat Panel with Height Adjustable Stand,17.0 Inch VIS,OptiPlex and Latitude (320-4565)</p> | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 244141811 | Dell | <p>Base Unit:</p> <p>PowerVault 136T, LTO-2, 200/400GB, Rack (221-2890)</p>  | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 244141811 | Dell | <p>Base Unit:</p> <p>PowerVault 136T, LTO-2, 200/400GB, Rack (221-2890)</p>  | 18% | Workstations, Thin Client<br>Desktops & Notebooks |

|         |      |  |     |  |
|---------|------|--|-----|--|
| 1005978 | Dell | <p>Base Unit:</p> <p>BROCADE 4100 16-32 POD, 4GB DELL Brocade 4100 16-32 Ports on Demand 4Gbps Fibre Channel-R (222-2132)</p> <p>5M MULTI-MODE FC CABLE LC-LC Tyco - Quantity 2</p> <p>Rapid Rails, Brocade 4100, ForDell and Square Hole Racks</p> <p>Premium Enterprise Support - Gold - Premium Services</p> <p>Premium Enterprise Support - Gold - Advanced Software Support</p> <p>Type 2 Contract - Same Day 4-Hour 7x24 Parts and Labor On-Site Response, 2YR Extended</p> <p>Type 2 Contract - Same Day 4-Hour 7x24 Parts and Labor On-Site Response, Initial Ye</p> | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1005977 | Dell | <p>Base Unit:</p> <p>Dell   EMC DAE2 ATA 2GB Disk Array Enclosure For CX300 CX500, CX700-R (222-3097)</p> <p>Premium Enterprise Support - Gold - Premium Services</p> <p>Type 2 Contract - Same Day 4-Hour 7x24 Parts and Labor On-Site Response Initial Year</p> <p>Type 2 Contract - Same Day 4-Hour 7x24 Parts and Labor On-Site Response 2YR Extended</p> <p>Hardware Installation IncludedIn SAN/DAS Implementation Installation</p> <p>500GB 7.2K SATA FOR DAE2-ATA (341-2954) - Quantity 2</p> <p>T1-Standard Maint 1 per yr 3Yr (980-0748)</p>                       | 18% | Workstations, Thin Client Desktops & Notebooks |

|         |      |  |     |   |
|---------|------|--|-----|---|
| 1005986 | Dell | <p>BASE UNIT:</p> <p>LATITUDE D520, INTEL CORE 2 DUO T5500, 1.66GHZ, 667MHZ, 2ML2 CACHE, DUAL CORE (222-6943)</p> <p>PROCESSOR: 15 INCH XGA LCD FOR LATITUDE D520 (320-4679) MEMORY: 1.0GB, DDR2-533 SDRAM, 2 DIMM FOR DELL LATITUDE NOTEBOOKS (311-5677) KEYBOARD: INTERNAL ENGLISH KEYBOARD FOR LATITUDE D520 (310-7589) HARD DRIVE: 40GB HARD DRIVE 9.5MM, 5400RPMFOR DELL LATITUDE DX20 (341-2976) FLOPPY DISK DRIVE: NO FLOPPY DRIVE FOR LATITUDE D-FAMILY NOTEBOOKS (340-8854) OPERATING SYSTEM: WINDOWS XP PROFESSIONAL, SP2 WITH MED</p> | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| -1952   | Dell | <p>Base Unit: 2.8GHz/800Mhz/2x1mb Cache Dual-Core Intel Xeon 7030 Processor, PowerEdge 6850</p>  | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 1005835 | Dell | <p>BASE UNIT: 2MB CACHE, 3.2GHZ, XEON,800MHZFRONT SIDE BUS FOR PESC1425, R (222-2197) PROCESSOR: INFORMATION,NO SECOND PROCESSOR MEMORY: 1GB DDR2 400MHZ (2X512MB) SINGLE RANKED DIMMS, KEYBOARD: KEYBOARD, USB, BLACK HARD DRIVE: 160GB 7.2K RPM SATA HDD POWEREDGE SC OPERATING SYSTEM: NO OPERATING SYSTEM, MICROSOFT MOUSE: MECHANICAL TWO-BUTTON MOUSE USB, BLACK CD-ROM OR DVD-ROM DRIVE: CDRW/DVD, 4G, 24X, SOUND CARD: NO BEZEL ADDITIONAL STORAGE PRODUCTS:</p> <p>160GB 7.2K SATA, ADDITIONAL HDD POWEREDGE SC</p>                     | 18% | Workstations, Thin Client<br>Desktops & Notebooks |

|           |      |   |     |  |
|-----------|------|---|-----|--|
| 1006054   | Dell | BASE UNIT: DUAL CORE XEON PROCESSOR 5110 4MB CACHE, 1.60GHZ, 1066MHZ FSB, PE 2950 (222-3386) PROCESSOR: DUAL CORE XEON 2ND PROCESSOR 5110, 4MB CACHE, 1.60GHZ 1066MHZ FSB, PE 2950 (311-6218) MEMORY: 4GB 533MHZ (4X1GB), DUAL RANKED DIMMS (311-5729) KEYBOARD: NO KEYBOARD SELECTED (310-5017) VIDEO CARD: BROADCOM TCP/IP OFFLOAD ENGINE NOT ENABLED (430-1765) VIDEO MEMORY: RISER WITH 3 PCIE SLOTS FOR POWEREDGE 2950 (320-4607) HARD DRIVE: 146GB, SAS, 3.5-INCH 15K RPM HARD DRIVE (341-3031) | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-9189  | Dell | HARD DRIVE CONTROLLER: P<br>BASE UNIT: OptiPlex GX620 Minitower Pentium D 820/2.8GHz, Dual Core 2X 1M, 800FSB (221-9189)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 242894488 | Dell | Base Unit:  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 242894488 | Dell | Qlogic 2340 2GB Optical HBA with Windows 2000 Drivers attached (221-1287)<br>Base Unit:   | 18% | Workstations, Thin Client Desktops & Notebooks |
| A1141776  | Dell | Qlogic 2340 2GB Optical HBA with Windows 2000 Drivers attached (221-1287)   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 310-7704  | Dell | Classic USB Keyboard Black - Accessory  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 310-2881  | Dell | D/Port Port Replicator with 90 - Accessory  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-5555  | Dell | D/View Notebook Stand for Dell - Accessory<br>Del Latitude D610 Laptop  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-5441  | Dell | DELL AXIM X30   | 18% | Workstations, Thin Client Desktops & Notebooks |

|               |      |   |     |  |
|---------------|------|---|-----|--|
| 201884022     | Dell | Dell GX280 SMT P4-3.4, 1GB, 80GB SATA, 16X DVD+-RW and 16X DVD, ATI Radeon X300 w/128MB, Dell PS/2 Keyboard, Dell PS/2 Mouse, Windows 2000 Pro, 3Yr NBD On-site Warranty. | 18% | Workstations, Thin Client Desktops & Notebooks |
| 3393          | Dell | DELL GX620 SFF (Special config for DHS - OCIO Quote # 06-0049)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| Latitude 120L | Dell | Dell Latitude 120L with system options and customer kit options designed for 120L   | 18% | Workstations, Thin Client Desktops & Notebooks |
| Latitude D420 | Dell | Dell Latitude d420 with system options and customer kit options designed for D420   | 18% | Workstations, Thin Client Desktops & Notebooks |
| Latitude D520 | Dell | Dell Latitude D520 with system options and customer kit options designed for D520   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-5598      | Dell |   | 18% | Workstations, Thin Client Desktops & Notebooks |
| Latitude D620 | Dell | Dell Latitude D610<br>Dell Latitude D620 with system options and customer kit options designed for D620   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-7650      | Dell |   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-7650      | Dell | Dell Latitude D810 Laptop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-7650      | Dell | Dell Latitude D810 Laptop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-7650      | Dell | Dell Latitude D810 Laptop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-7650      | Dell | Dell Latitude D810 Laptop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-7650      | Dell | Dell Latitude D810 Laptop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-7650      | Dell | Dell Latitude D810 Laptop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-7650      | Dell | Dell Latitude D810 Laptop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-7650      | Dell | Dell Latitude D810 Laptop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| Latitude D820 | Dell | Dell Latitude D810 Laptop<br>Dell Latitude D820 with system options and customer kit options designed for D820  | 18% | Workstations, Thin Client Desktops & Notebooks |

|                |      |  |     |  |
|----------------|------|--|-----|--|
| Optiplex 210L  | Dell | Dell Optiplex 210L with system options and customer kit options designed for 210L  | 18% | Workstations, Thin Client Desktops & Notebooks |
| Optiplex 320   | Dell | Dell Optiplex 320 with system options and customer kit options   | 18% | Workstations, Thin Client Desktops & Notebooks |
| Optiplex 740   | Dell | Dell Optiplex 740 with system options and customer kit options   | 18% | Workstations, Thin Client Desktops & Notebooks |
| Optiplex 745   | Dell | Dell Optiplex 745 with system options and customer kit options   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8383       | Dell |  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8648       | Dell | Dell OptiPlex GX620  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8365       | Dell | Dell Optiplex GX620 Mini-Tower   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8365       | Dell | Dell OptiPlex GX620 MT   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8365       | Dell | Dell OptiPlex GX620 MT   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8365       | Dell | Dell OptiPlex GX620 MT   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-9188       | Dell | Dell OptiPlex GX620 MT<br>DELL OptiPlex GX620 MT with Int Broadcom GbNIC Intel Pentium D Processor 830 (3GHz,DC,2X1M,800MHz FSB) | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8687       | Dell |  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8411       | Dell | Dell Optiplex GX620 Small Form Factor  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8743       | Dell | Dell Optiplex GX620 Ultra Small Form Factor Bundle   | 18% | Workstations, Thin Client Desktops & Notebooks |
| Optiplex GX620 | Dell | Dell Optiplex GX620 with system options and customer kit options   | 18% | Workstations, Thin Client Desktops & Notebooks |
| Optiplex GX520 | Dell | Dell Optiplex GX620 with system options and customer kit options   | 18% | Workstations, Thin Client Desktops & Notebooks |

|               |      |   |     |  |
|---------------|------|---|-----|--|
| 221-8675      | Dell |   | 18% | Workstations, Thin Client Desktops & Notebooks |
|               |      | Dell Precision 380  |     |  |
| 221-8673      | Dell | Dell Precision 380 Intel P4 660 3.6GHz/2MB L2, 800MHz   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8689      | Dell | Dell Precision 380 MT INtel Pentium 4 Processor 630 3.0GHz/2MB L2   | 18% | Workstations, Thin Client Desktops & Notebooks |
| Precision 390 | Dell | Dell Precision 390 with system options and customer kit options designed for 390  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8971      | Dell | Dell Precision 470 Desktop 3.20GHz, XEON Processor w/ 2MBL2 Cache, 800FSB   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-7717      | Dell |   | 18% | Workstations, Thin Client Desktops & Notebooks |
|               |      | Dell Precision 470 Desktop Bundle   |     |  |
| Precision 490 | Dell | Dell Precision 490 with system options and customer kit options designed for 490  | 18% | Workstations, Thin Client Desktops & Notebooks |
| Precision 690 | Dell | Dell Precision 690 with system options and customer kit options designed for 690  | 18% | Workstations, Thin Client Desktops & Notebooks |
| Precision M65 | Dell | Dell Precision M65 with system options and customer kit options designed for M65  | 18% | Workstations, Thin Client Desktops & Notebooks |
| Precision M90 | Dell | Dell Precision M90 with system options and customer kit options designed for M90  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 222-3789      | Dell | Dell Precision Workstation 490 MiniTower - 64bit Dual Core Intel® Xeon® Processor 5130 (2.00GHz, 4MB L2,1333) - Workstation | 18% | Workstations, Thin Client Desktops & Notebooks |
| 222-3849      | Dell | Dell Precision Workstation 690 (750w - 64bit) Dual Core Intel® Xeon® Processor 5140 (2.33GHz, 4MB L2,1333) - Workstation    | 18% | Workstations, Thin Client Desktops & Notebooks |

|           |      |  |     |   |
|-----------|------|--|-----|---|
| 1005833   | Dell | <p>1GB DDR2 SDRAM</p> <p>160GB SATA HARD DRIVE</p> <p>ATHLON 64 X 2 4200+ )2.20GHZ, 512KX2)</p> <p>IMAGE RESTORE</p> <p>OPERATING SYSTEM:</p> <p>INTERNET SEARCH AND PORTAL</p> <p>OPERATING SYSTEM:</p> <p>DELL SUPPORT</p> <p>OPERATING SYSTEM:</p> <p>DELL OWNERS MANUAL INSTALLED ON YOUR SYSTEM,CLICK ON ICON AFTER SYSTEM SET-UP TO ACCESS</p> <p>OPERATING SYSTEM:</p> <p>BACKUP MEDIA FOR XP PRO DIMENSION C521</p> <p>MOUSE:</p> <p>DELL OPTICAL USB MOUSE</p>  | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 298329578 | Dell | <p>NIC:</p> <p>Dual Core Pentium D, 950 Processor, 2X2MB Cache, 3.4GHz800MHz Front Side Bus for PowerEdge 850 2GB DDR2, 533MHZ, 2x1G, Dual Ranked DIMMs 160GB, SATA, 1 inch, 7.2K RPM Hard Drive No Operating System Broadcom NetXtreme 10/100/1000(cat 5), PCI Express Network Adapter 8X DVD, Internal for PowerEdge Intel Pro 1000MT Dual Port Gigabit Network Adapter C1, Motherboard SATA, 1 Hard Drive \Rack Chassis w/Rapid Rails Type 3 Contract-Next Business Day Parts and Labor On-Site Response Three Year s</p> | 18% | Workstations, Thin Client<br>Desktops & Notebooks |

|                 |                   |   |     |  |
|-----------------|-------------------|---|-----|--|
| 298331698       | Dell              | Dual Core Pentium D, 950 Processor, 2X2MB Cache, 3.4GHz800MHz Front Side Bus for PowerEdge 850 2GB DDR2, 533MHZ, 2x1G, Dual Ranked DIMMs 160GB, SATA, 1 inch, 7.2K RPM Hard Drive No Operating System Broadcom NetXtreme 10/100/1000(cat 5), PCI Express Network Adapter 8X DVD, Internal for PowerEdge Intel Pro 1000MT Dual Port Gigabit Network Adapter C1, Motherboard SATA, 1 Hard Drive \Rack Chassis w/Rapid Rails Type 3 Contract-Next Business Day Parts and Labor On-Site Response Three Year s | 18% | Workstations, Thin Client Desktops & Notebooks |
| -3609           | Dell              | Dual Core Xeon Processor 5140 4MB Cache, 2.33GHz, 1333MHz FSB, PE 2950  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8367        | Dell              |   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 12-000007       | Wave Systems Corp | Expandable Workstation<br>Gold Maintenance  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8990        | Dell              |   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8381        | Dell              | GX520 Minitower Celeron D 326 / 2.53GHz,256K 533FSB   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 3394            | Dell              | GX620 Intel Pentium 4 Processor 650 with HT(3.4GHz, 2M, 800MHz FSB  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 3396            | Dell              | GX620 SFF for Market Research Quote #06-0054<br><br>(PQ-43549)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013BD/222-1320 | Dell              | GX620 SFF Market Request #06-0057(gulledge)<br>Inspiron 6400, 15.4" Wide-screen WXGA Display, 1GB DDR2, 120GB HD, 8X DVD+/-RW, Intel PRO/Wireless 3945, 3YR onsite warranty   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-9192        | Dell              | Intel® Pentium® D Processor 820 (2.8GHz, DC, 2X1M,800MHz FSB)   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013KF/222-7258 | Dell              | Latitude ATG D620, Intel Core 2 Duo T7200, 2.00GHz, 667Mhz, 4M L2 Cache, Dual Core, 14.1" WXGA RGLCD, 2GB SDRAM, 80GB HD, 8X DVD+/-RW, 2 Primary Batteries, Large Nylon Carrying Case, Windows XP, 3 Year On-Site Warranty - Winmagic SecureDoc Disk Encryption Software w/1year technical support  | 18% | Workstations, Thin Client Desktops & Notebooks |

|                 |      |  |     |  |
|-----------------|------|--|-----|--|
| 221-7381        | Dell | Latitude D410 Intel Pentium M Processor 760 (2.00GHz) 12.1in XGA Display   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 6680            | Dell | Latitude D410T, Pentium M 770 (2.13GHZ) 12.1 XGA   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013KD/222-4170 | Dell | Latitude D420, Intel Core 2 Duo U2500, 1.20GHz, 533Mhz, 2M L2 Cache, 12.1" WXGA+ LCD, NIC, 2GB SDRAM, 80GB HD, 24X D/BAY plus 24X CDRW/DVD , Secondary Battery, Leather Carrying Case, Windows XP, 3 Year On-Site Warranty - Winmagic SecureDoc Disk Encryption Software w/1year technical support | 18% | Workstations, Thin Client Desktops & Notebooks |
| 222-9584        | Dell | Latitude D430 Intel Core2 Duo Processor ULV U7600 (1.20GHz, 533Mhz) TAA - Notebook   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-5983        | Dell | Latitude D600: Intel Pentium M Processor 725 (1.60GHz) w/ 14.1in XGA Display<br><br>GD616DX - [ 221-5983 ]   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-5599        | Dell |  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 6695            | Dell | LATITUDE D610<br>Latitude D610 Intel Pentium M Processor 750 (1.86GHz) 14.1 SXGA+,Intel GMA900<br><br>BELKIN CAT5e Black Patch Cable - 14 Feet<br><br>128 MB High Speed USB 2.0 Memory Key   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-5594        | Dell | Latitude D610 Intel Pentium M Processor 750 (1.86GHz) 14.1 XGA, Intel GMA 900 - [ 221-5594 ]   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-5640        | Dell | Note:<br>Latitude D610 Intel Pentium M Processor 770 (2.13GHz) 14.1 SXGA+, RADEON X300   | 18% | Workstations, Thin Client Desktops & Notebooks |

|                 |      |   |     |  |
|-----------------|------|---|-----|--|
| 6683            | Dell | Latitude D610 Pentium M 750 - Clin 1060 plus enhanced keyboard, 2 button optical mouse and classic nylon case   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-5596        | Dell | PQ-44427  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1010ZR/222-1969 | Dell | Latitude D610 P-M 750 1.86GHz, 14.1" SXGA+, Intel GMA900  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1010ZQ/222-1969 | Dell | Latitude D610, 1.86GHz Pentium M 750, 14.1" SXGA+ Display, NIC, 1GB SDRAM, 40GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, External USB zip drive, D/Dock Docking Station, keyboard & mouse, Secondary Battery, Leather Carrying Case, Windows XP, 3 Year On-Site Warranty   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1010ZP/222-1969 | Dell | Latitude D610, 1.86GHz Pentium M 750, 14.1" SXGA+ Display, NIC, 1GB SDRAM, 40GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, External USB zip drive, Secondary Battery, Leather Carrying Case, Windows XP, 3 Year On-Site Warranty   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-5556        | Dell | Latitude D610, Pentium M 730 (1.60GHz) 14.1 SXGA+, ATI MOBILITY RADEON X300, English. Meets specs.  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-5597        | Dell | Latitude D610, Pentium M 760 (2.00GHz) 14.1 XGA, ATI MOBILITY RADEON X300,  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013AU/222-5570 | Dell | Latitude D620, Intel Core 2 Duo T7200, 2.00GHz, 667Mhz, 4M L2 Cache, Dual Core, 14.1" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, Fingerprint Reader Touchpad, Secondary Battery, Leather Carrying Case, Windows XP, 3 Year On-Site Warranty - Winmagic SecureDoc Disk Encryption Software w/1year technical support | 18% | Workstations, Thin Client Desktops & Notebooks |

|                 |      |   |     |  |
|-----------------|------|---|-----|--|
| 1013AW/222-5570 | Dell | Latitude D620, Intel Core 2 Duo T7200, 2.00GHz, 667Mhz, 4M L2 Cache, Dual Core, 14.1" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, USB External Zip Drive, D/Dock Docking Station, Keyboard & Mouse, Fingerprint Reader Touchpad, Secondary Battery, Leather Carrying Case, Windows XP, 3 Year On-Site Warranty - Winmagic SecureDoc Disk Encryption Software w/1year technical support | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013AV/222-5570 | Dell | Latitude D620, Intel Core 2 Duo T7200, 2.00GHz, 667Mhz, 4M L2 Cache, Dual Core, 14.1" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, USB External Zip Drive, Fingerprint Reader Touchpad, Secondary Battery, Leather Carrying Case, Windows XP, 3 Year On-Site Warranty - Winmagic SecureDoc Disk Encryption Software w/1year technical support   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013AU/222-1160 | Dell | Latitude D620, Intel Core Duo T2500, 2.00GHz, 667Mhz, 2M L2 Cache, Dual Core, 14.1" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, Fingerprint Reader Touchpad, Secondary Battery, Leather Carrying Case, Windows XP, 3 Year On-Site Warranty - Winmagic SecureDoc Disk Encryption Software w/1year technical support   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013AW/222-1160 | Dell | Latitude D620, Intel Core Duo T2500, 2.00GHz, 667Mhz, 2M L2 Cache, Dual Core, 14.1" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, USB External Zip Drive, D/Dock Docking Station, Keyboard & Mouse, Fingerprint Reader Touchpad, Secondary Battery, Leather Carrying Case, Windows XP, 3 Year On-Site Warranty   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013AV/222-1160 | Dell | Latitude D620, Intel Core Duo T2500, 2.00GHz, 667Mhz, 2M L2 Cache, Dual Core, 14.1" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, USB External Zip Drive, Fingerprint Reader Touchpad, Secondary Battery, Leather Carrying Case, Windows XP, 3 Year On-Site Warranty   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 222-7947        | Dell | Latitude D630, Intel Core 2 Duo T7300, 2.00GHz, 800MHz 4M L2 Cache, Dual Core - Notebook  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 242797259       | Dell | Latitude D810   | 18% | Workstations, Thin Client Desktops & Notebooks |



221-7660

Dell

graphics w/64MB Video Memory, English (221-7660)

18%

Workstations, Thin Client  
Desktops & Notebooks

Includes: 15.4 inch WXGA LCD for Latitude D810,  
Factory Tied (320-4232)

Memory:

1.0GB, Double Data Rate 2-533 SDRAM, 2 Dimm,  
for Dell Latitude D, Factory Install (311-3791)

Hard Drive:

60GB Hard Drive 9.5MM,7200RPM,for Dell  
Latitude D810, Factory Install (341-1013)

Floppy Disk Drive:

No Floppy Drive for Latitude D-Family Notebooks  
(340-8854)

Operating System:

Windows XP Professiona

221-7660

Dell

graphics w/64MB Video Memory, English (221-7660)

18%

Workstations, Thin Client  
Desktops & Notebooks

Includes: 15.4 inch WXGA LCD for Latitude D810,  
Factory Tied (320-4232)

Memory:

1.0GB, Double Data Rate 2-533 SDRAM, 2 Dimm,  
for Dell Latitude D, Factory Install (311-3791)

Hard Drive:

60GB Hard Drive 9.5MM,7200RPM,for Dell  
Latitude D810, Factory Install (341-1013)

Floppy Disk Drive:

No Floppy Drive for Latitude D-Family Notebooks  
(340-8854)

Operating System:

Windows XP Professiona

221-7660

Dell

graphics w/64MB Video Memory, English (221-7660)

18%

Workstations, Thin Client  
Desktops & Notebooks

Includes: 15.4 inch WXGA LCD for Latitude D810,  
Factory Tied (320-4232)

Memory:

1.0GB, Double Data Rate 2-533 SDRAM, 2 Dimm,  
for Dell Latitude D, Factory Install (311-3791)

Hard Drive:

60GB Hard Drive 9.5MM,7200RPM,for Dell  
Latitude D810, Factory Install (341-1013)

Floppy Disk Drive:

No Floppy Drive for Latitude D-Family Notebooks  
(340-8854)

Operating System:

Windows XP Professiona

221-7660

Dell

graphics w/64MB Video Memory, English (221-7660)

18%

Workstations, Thin Client  
Desktops & Notebooks

Includes: 15.4 inch WXGA LCD for Latitude D810,  
Factory Tied (320-4232)

Memory:

1.0GB, Double Data Rate 2-533 SDRAM, 2 Dimm,  
for Dell Latitude D, Factory Install (311-3791)

Hard Drive:

60GB Hard Drive 9.5MM,7200RPM,for Dell  
Latitude D810, Factory Install (341-1013)

Floppy Disk Drive:

No Floppy Drive for Latitude D-Family Notebooks  
(340-8854)

Operating System:

Windows XP Professiona

221-7660

Dell

graphics w/64MB Video Memory, English (221-7660)

18%

Workstations, Thin Client  
Desktops & Notebooks

Includes: 15.4 inch WXGA LCD for Latitude D810,  
Factory Tied (320-4232)

Memory:

1.0GB, Double Data Rate 2-533 SDRAM, 2 Dimm,  
for Dell Latitude D, Factory Install (311-3791)

Hard Drive:

60GB Hard Drive 9.5MM,7200RPM,for Dell  
Latitude D810, Factory Install (341-1013)

Floppy Disk Drive:

No Floppy Drive for Latitude D-Family Notebooks  
(340-8854)

Operating System:

Windows XP Professiona

221-7660

Dell

graphics w/64MB Video Memory, English (221-7660)

18%

Workstations, Thin Client  
Desktops & Notebooks

Includes: 15.4 inch WXGA LCD for Latitude D810,  
Factory Tied (320-4232)

Memory:

1.0GB, Double Data Rate 2-533 SDRAM, 2 Dimm,  
for Dell Latitude D, Factory Install (311-3791)

Hard Drive:

60GB Hard Drive 9.5MM,7200RPM,for Dell  
Latitude D810, Factory Install (341-1013)

Floppy Disk Drive:

No Floppy Drive for Latitude D-Family Notebooks  
(340-8854)

Operating System:

Windows XP Professiona

221-7660

Dell

graphics w/64MB Video Memory, English (221-7660)

18%

Workstations, Thin Client  
Desktops & Notebooks

Includes: 15.4 inch WXGA LCD for Latitude D810,  
Factory Tied (320-4232)

Memory:

1.0GB, Double Data Rate 2-533 SDRAM, 2 Dimm,  
for Dell Latitude D, Factory Install (311-3791)

Hard Drive:

60GB Hard Drive 9.5MM,7200RPM,for Dell  
Latitude D810, Factory Install (341-1013)

Floppy Disk Drive:

No Floppy Drive for Latitude D-Family Notebooks  
(340-8854)

Operating System:

Windows XP Professiona

|                 |      |   |     |  |
|-----------------|------|---|-----|--|
| 221-7660        | Dell | <p>graphics w/64MB Video Memory, English (221-7660)</p> <p>Includes: 15.4 inch WXGA LCD for Latitude D810, Factory Tied (320-4232)</p> <p>Memory:</p> <p>1.0GB, Double Data Rate 2-533 SDRAM, 2 Dimm, for Dell Latitude D, Factory Install (311-3791)</p> <p>Hard Drive:</p> <p>60GB Hard Drive 9.5MM,7200RPM,for Dell Latitude D810, Factory Install (341-1013)</p> <p>Floppy Disk Drive:</p> <p>No Floppy Drive for Latitude D-Family Notebooks (340-8854)</p> <p>Operating System:</p> | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013AZ/222-5633 | Dell | <p>Windows XP Professiona</p> <p>Latitude D820, Intel Core 2 Duo T7200, 2.00GHz, 667Mhz 4M L2 Cache, Dual Core, 15.4" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, External USB zip drive, D/Dock Docking Station, Keyboard &amp; Mouse, Fingerprint Reader Touchpad, Secondary Battery, Nylon Carrying Case, Windows XP, 3 Year On-Site Warranty - Winmagic SecureDoc Disk Encryption Software w/1year technical support</p>                     | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013AY/222-5633 | Dell | <p>Latitude D820, Intel Core 2 Duo T7200, 2.00GHz, 667Mhz 4M L2 Cache, Dual Core, 15.4" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, External USB zip drive, Fingerprint Reader Touchpad, Secondary Battery, Nylon Carrying Case, Windows XP, 3 Year On-Site Warranty - Winmagic SecureDoc Disk Encryption Software w/1year technical support</p>   | 18% | Workstations, Thin Client Desktops & Notebooks |

|                 |      |   |     |  |
|-----------------|------|---|-----|--|
| 1013AX/222-5633 | Dell | Latitude D820, Intel Core 2 Duo T7200, 2.00GHz, 667Mhz 4M L2 Cache, Dual Core, 15.4" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, Fingerprint Reader Touchpad, Secondary Battery, Nylon Carrying Case, Windows XP, 3 Year On-Site Warranty - Winmagic SecureDoc Disk Encryption Software w/1year technical support  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013AZ/222-1263 | Dell | Latitude D820, Intel Core Duo T2500, 2.00GHz, 667Mhz, 2M L2 Cache, Dual Core, 15.4" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, External USB zip drive, D/Dock Docking Station, Keyboard & Mouse, Fingerprint Reader Touchpad, Secondary Battery, Nylon Carrying Case, Windows XP, 3 Year On-Site Warranty   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013AY/222-1263 | Dell | Latitude D820, Intel Core Duo T2500, 2.00GHz, 667Mhz, 2M L2 Cache, Dual Core, 15.4" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, External USB zip drive, Fingerprint Reader Touchpad, Secondary Battery, Nylon Carrying Case, Windows XP, 3 Year On-Site Warranty   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013AX/222-1263 | Dell | Latitude D820, Intel Core Duo T2500, 2.00GHz, 667Mhz, 2M L2 Cache, Dual Core, 15.4" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Floppy Drive, Fingerprint Reader Touchpad, Secondary Battery, Nylon Carrying Case, Windows XP, 3 Year On-Site Warranty   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013ED/222-5633 | Dell | Latitude D820, Intel Core Duo T2500, 2.00GHz, 667Mhz, 2M L2 Cache, Dual Core, 15.4" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Intel 3945 WLAN Card, Floppy Drive, D/Dock Docking Station, Keyboard & Mouse, Fingerprint Reader Touchpad, Secondary Battery, Nylon Carrying Case, Windows XP, 3 Year On-Site Warranty - Winmagic SecureDoc Disk Encryption Software w/1year technical support | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013JX/222-5633 | Dell | Latitude D820, Intel Core Duo T2500, 2.00GHz, 667Mhz, 2M L2 Cache, Dual Core, 15.4" WXGA+ LCD, NIC, 2GB SDRAM, 100GB HD, 24X CDRW/DVD, Internal 56K Modem, Intel 3945 WLAN Card, Floppy Drive, Fingerprint Reader Touchpad, Secondary Battery, Nylon Carrying Case, Windows XP, 3 Year On-Site Warranty - Winmagic SecureDoc Disk Encryption Software w/1year technical support   | 18% | Workstations, Thin Client Desktops & Notebooks |

|                 |      |   |     |  |
|-----------------|------|---|-----|--|
| 1000912         | Dell | LATITUDE D820: INTEL® CORE™ 2 DUO T7400 (2.16GHZ) 4M L2 CACHE, 667MHZ DUAL CORE GD8274D - [ 222-5634 ] OPERATING SYSTEMS: GENUINE WINDOWS® XP PROFESSIONAL, SP2, WITH MEDIA LCDS: 15.4 INCH WIDE SCREEN WUXGA LCD PANEL MEMORY: 2.0GB, DDR2-667 SDRAM, 2 DIMMS INTERNAL KEYBOARD: INTERNAL ENGLISH KEYBOARD GRAPHICS: INTEL® INTEGRATED GRAPHICS MEDIA ACCELERATOR 950 HARD DRIVES: 100GB HARD DRIVE, 9.5MM, 7200RPM TOUCHPAD OPTIONS: STANDARD TOUCHPAD FLOPPY DRIVE: NO FLOPPY DRIVE BLUETOOTH: DELL WIRELESS® 35 | 18% | Workstations, Thin Client Desktops & Notebooks |
| 222-7942        | Dell | Latitude D830 Intel® Core™ 2 Duo T7100 (1.80GHz) 2M L2 Cache, 800Mhz Dual Core - Notebook   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 170L            | Dell | OptiPlex 170L   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 222-5953        | Dell | OptiPlex 745 Desktop Intel® Pentium® D Processor 945 (3.40GHz, 2X2M, 800MHz FSB) - Desktop  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013DE/222-5867 | Dell | OptiPlex 745 Desktop, Core 2 Duo 2.13GHz, 2M cache, 2.0GB RAM, Intel Gigabit NIC, 256MB video, 80GB hard drive, 48X32 CDRW/DVD Combo, 2nd Serial Port, 19" LCD Monitor, Windows XP Pro, 3 year On-Site Warranty   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013DD/222-5867 | Dell | OptiPlex 745 Desktop, Core 2 Duo 2.13GHz, 2M cache, 2.0GB RAM, Intel Gigabit NIC, 256MB video, 80GB hard drive, 48X32 CDRW/DVD Combo, 2nd Serial Port, Windows XP Pro, 3 year On-Site Warranty  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 222-5849        | Dell | OptiPlex 745 Minitower Intel® Pentium® D Processor 945 (3.40GHz, 2X2M, 800MHz FSB) - Desktop  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013DG/222-5690 | Dell | OptiPlex 745 Minitower, Core 2 Duo 2.13GHz, 2M cache, 2.0GB RAM, Intel Gigabit NIC, 256MB video, 80GB hard drive, 16X DVD+RW/+R and 16X DVD, 2nd Serial Port, 19" LCD Monitor, Windows XP Pro, 3 year On-Site Warranty  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013DN/222-5690 | Dell | OptiPlex 745 Minitower, Core 2 Duo 2.13GHz, 2M cache, 2.0GB RAM, Intel Gigabit NIC, 256MB video, 80GB hard drive, 16X DVD+RW/+R and 16X DVD, 2nd Serial Port, 20" LCD Display Monitor, Windows XP Pro, 3 year On-Site Warranty  | 18% | Workstations, Thin Client Desktops & Notebooks |

|                 |      |  |     |  |
|-----------------|------|--|-----|--|
| 1013KA/222-5690 | Dell | OptiPlex 745 Minitower, Core 2 Duo 2.13GHz, 2M cache, 2.0GB RAM, Intel Gigabit NIC, 256MB video, 80GB hard drive, 16X DVD+RW/+R and 16X DVD, 2nd Serial Port, 20" LCD Display Monitor, Windows XP Pro, 3 year On-Site Warranty | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013DF/222-5690 | Dell | OptiPlex 745 Minitower, Core 2 Duo 2.13GHz, 2M cache, 2.0GB RAM, Intel Gigabit NIC, 256MB video, 80GB hard drive, 16X DVD+RW/+R and 16X DVD, 2nd Serial Port, Windows XP Pro, 3 year On-Site Warranty                          | 18% | Workstations, Thin Client Desktops & Notebooks |
| 222-5909        | Dell | OptiPlex 745 Small Form Factor Intel® Pentium® D Processor 945 (3.40GHz, 2X2M, 800MHz FSB) - Desktop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 222-5926        | Dell | OptiPlex 745 Ultra Small Form Factor Intel® Pentium® D Processor 945 (3.40GHz, 2X2M, 800MHz FSB) - Desktop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-5393        | Dell | OptiPlex GX280 SMT, with Int Broadcom GbNIC Intel Pentium 4 Processor 560 (3.60GHz, 1M, 800MHz FSB)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 210989354       | Dell | OptiPlex GX280, Small Desktop Pentium 4 540 / 3.20GHz, 1M Int Boradcom Gigabit NIC 800FSB  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 206394183       | Dell | OptiPlex GX280, Small Minitower Pentium 4 520 / 2.80GHz, 1M, IntBroadcom Gigabit NIC, 800FSB   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 238831225       | Dell | OptiPlex GX520 Desktop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 238961824       | Dell | OptiPlex GX520 Desktop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-9006        | Dell | OptiPlex GX520 DT with Int Broadcom GbNIC: Intel Celeron D Processor 336 (2.8GHz, 256K, 533MHz FSB)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8985        | Dell | OptiPlex GX520 MT with Int Broadcom GbNIC Intel Pentium 4 Processor 521 with HT (2.8GHz, 1M, 800MHz FSB). 17 inch Ultrasharp 1704FPV Flat Panel.   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8983        | Dell | OptiPlex GX520 MT with Int Broadcom GbNIC: Intel Pentium 4 Processor 521 with HT (2.8GHz, 1M, 800MHz FSB). 17 inch Ultrasharp 1704FPV Flat Panel.  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8986        | Dell | OptiPlex GX520 MT with Int Broadcom® GbNIC Intel® Celeron® D Processor 346 (3.06GHz, 256K, 533MHz FSB)   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-9013        | Dell | OptiPlex GX520 SFF with Int Broadcom® GbNIC  | 18% | Workstations, Thin Client Desktops & Notebooks |

|                 |      |  |     |  |
|-----------------|------|--|-----|--|
| 221-9012        | Dell | OptiPlex GX520 Small Form Factor,Pentium 4 521/2.8GHz 1M,800FSB,HyperThreading   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 242797510       | Dell | OptiPlex GX620   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8382        | Dell | OptiPlex GX620 Desktop   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8382        | Dell | OptiPlex GX620 Desktop ITC-DEL-PCHS100658 Mfg# 221-8382  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8379        | Dell | OptiPlex GX620 Desktop Pentium 4 670/3.8GHz,2M,800FSBHyperThreading (221-8379)   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8671        | Dell | OptiPlex GX620 DT with Int Broadcom  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8367        | Dell | OptiPlex GX620 Minitower Pentium 4 630/3GHz,2M,800FSB HyperThreading   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-9187        | Dell | OptiPlex GX620 Minitower Pentium D 840/3.2GHz,Dual Core2X 1M,800FSB (221-9187)   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 1013BA/222-1272 | Dell | OptiPlex GX620 Minitower, Pentium D (Dual-Core) 940, 3.2GHz, 2x2M cache, 4.0GB RAM, Intel Gigabit NIC, 2nd NIC, 256MB video, 160GB hard drive, 16X DVD+/-RW and 16X DVD, 2nd Serial Port, Windows XP Pro, 3 year On-Site Warranty - No Monitor | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8364        | Dell | OptiPlex GX620 MT with Int Broadcom GbNIC Intel Pentium D Processor 830 (3GHz,DC,2X1M,800MHz FSB)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8364        | Dell | OptiPlex GX620 MT with Int Broadcom GbNIC Intel Pentium D Processor 830 (3GHz,DC,2X1M,800MHz FSB)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8364        | Dell | OptiPlex GX620 MT with Int Broadcom GbNIC Intel Pentium D Processor 830 (3GHz,DC,2X1M,800MHz FSB)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8364        | Dell | OptiPlex GX620 MT with Int Broadcom GbNIC Intel Pentium D Processor 830 (3GHz,DC,2X1M,800MHz FSB)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8365        | Dell | OptiPlex GX620 MT with Int Broadcom GbNIC, Intel Pentium 4 Processor 650 with HT (3.4GHz, 2M, 800MHz FSB)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8365        | Dell | OptiPlex GX620 MT with Int Broadcom GbNIC, Intel Pentium 4 Processor 650 with HT (3.4GHz, 2M, 800MHz FSB)  | 18% | Workstations, Thin Client Desktops & Notebooks |

|           |      |  |     |  |
|-----------|------|--|-----|--|
| 221-8365  | Dell | OptiPlex GX620 MT with Int Broadcom GbNIC, Intel Pentium 4 Processor 650 with HT (3.4GHz, 2M, 800MHz FSB)                        | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8365  | Dell | OptiPlex GX620 MT with Int Broadcom GbNIC, Intel Pentium 4 Processor 650 with HT (3.4GHz, 2M, 800MHz FSB)                        | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8647  | Dell | OptiPlex GX620 MT with Int Broadcom GbNIC  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8397  | Dell | OptiPlex GX620 SFF   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8696  | Dell | OptiPlex GX620 SFF with Int Broadcom GbNIC Intel Celeron   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8398  | Dell | OptiPlex GX620 SFF with Int Broadcom GbNIC Intel Pentium 4 Processor 640 with HT (3.2GHz, 2M, 800MHz FSB) - [ 221-8398 ]         | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-9194  | Dell | OptiPlex GX620 SFF with Int Broadcom GbNIC: Intel Pentium D Processor 830 (3GHz,DC,2X1M,800MHz FSB)<br><br>630SDG - [ 221-9194 ] | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8686  | Dell | OptiPlex GX620 Small Form Factor,Pentium 4 531/3GHz,1M 800FSB,HyperThreading (221-8686)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8399  | Dell | OptiPlex GX620 Small Form Factor,Pentium 4 630/3GHz,2M 800FSB,HyperThreading (221-8399)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8399  | Dell | OptiPlex GX620 Small Form Factor,Pentium 4 630/3GHz,2M 800FSB,HyperThreading (221-8399)  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 3395      | Dell | OptiPlex GX620 Small Form Factor,Pentium 4 640/3.2GHz,2M800FSB,HyperThreading  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8395  | Dell | OptiPlex GX620 Small Form Factor,Pentium 4 670/3.8GHz,2M800FSB,HyperThreading (221-8395)   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 221-8413  | Dell | OptiPlex GX620 Ultra Small Form Factor,Pentium 4 630/3GHz2M,800FSB,HyperThreading  | 18% | Workstations, Thin Client Desktops & Notebooks |
| 217259787 | Dell | PowerEdge 1850   | 18% | Workstations, Thin Client Desktops & Notebooks |
| 217259787 | Dell | PowerEdge 1850   | 18% | Workstations, Thin Client Desktops & Notebooks |

|                 |                   |   |     |   |
|-----------------|-------------------|---|-----|---|
| 355424883       | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | PowerEdge 1950  |     |   |
| 222-6804        | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | PowerEdge 1950 Quad Core Intel® Xeon® E5310,<br>2x4MB Cache, 1.60GHz, 1066MHz FSB   |     |   |
| 215638915       | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | PowerEdge 2850  |     |   |
| 215638915       | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | PowerEdge 2850  |     |   |
| 355424673       | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | PowerEdge 2950  |     |   |
| 222-6802        | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | PowerEdge 2950 Quad Core Intel® Xeon® E5310,<br>2x4MB Cache, 1.60GHz, 1066MHz FSB - Server  |     |   |
| 222-5733        | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | PowerEdge 6950 2x Dual Core AMD Opteron™<br>8212, 2.0GHz,2x1Mb Cache,1Ghz HyperTransport -<br>Server  |     |   |
| 221-8664        | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | Precision 380MT Pentium D 830, 3.0GHz, DC, 2X<br>1MB L2, Win XP Pro SP2 w/CD, Sounblaster<br>Audigy 2 & 1394a Controller, 1GB DDR2 SDRAM,<br>80GB SATA HDD, nVidia Quadro FX 1400<br>w/128MB, 48x32x CD-RW/DVD, 1.44MB FDD,<br>Keyboard, Optical Mouse, Resource CD, 3Yr<br>Limited NBD On-site Warranty, 3Yr Gold Tech<br>Support. |     |   |
| 1010ZT/221-7982 | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | Precision Workstation 670 Minitower, Dual 3.00<br>GHz,XEON Processors w/ 2MB L2 Cache, 4GB<br>SDRAM, (2) 73GB Hard Drive, No Monitor,<br>Windows XP Pro, 3Yr On-Site Warranty - SPECIAL<br>ONE-TIME EVALUATION PURCHASE PRICE   |     |   |
| 12-000006       | Wave Systems Corp | Silver Maintenance  | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 222-7789        | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | TL2000 PowerVault TL2000, 2U Autoloader, LTO-3,<br>400/800GB, 1 SCSI Drive - Storage  |     |   |
| 222-7785        | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | TL4000 PowerVault TL4000, 4U Library, LTO-3,<br>400/800GB, 1 SCSI Drive - Storage   |     |   |
| 1005934         | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|                 |                   | VA CLIN: AUTO-AIR AC ADAPTER, US, ALL<br>LATITUDE NOTEBOOKS, CUSTOMER KIT   |     |   |

|         |      |  |     |   |
|---------|------|--|-----|---|
| 1000913 | Dell | <p>VA CLIN: BASE UNIT: 3.2GHZ/2MB CACHE, XEON 800MHZ FRONT SIDE BUS FOR PESC1425 (221-7711) PROCESSOR: INFORMATION,NO SECOND PROCESSOR MEMORY:1GB DDR2 400MHZ (2X512MB) SINGLE RANKED DIMMS, PESC KEYBOARD: KEYBOARD, USB, BLACK (310-8170) HARD DRIVE: 160GB 7.2K RPM SATA HDD POWEREDGE SC OPERATING SYSTEM: NO OPERATING SYSTEM, MICROSOFT MOUSE: MECHANICAL TWO-BUTTON MOUSE USB, BLACK CD-ROM OR DVD-ROM DRIVE: CDRW/DVD, 4G, 24X, INTERNAL SAMSUNG SOUND CARD:</p> | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|---------|------|--|-----|---|

|         |      |  |     |   |
|---------|------|--|-----|---|
| 1000888 | Dell | <p>NO BEZEL DOCUMENTATION DISKETTE: ELECTRONIC DOCUME</p> <p>VA CLIN: BASE UNIT: DELL PRECISION 490 DESKTOP DUAL CORE XEON PROC 5050 3.00GHZ, 2X 2MB L2 CACHE 667MHZ(222-1909)PROCESSOR: 2ND PROCESSOR,DUAL CORE XEON PROC 5050,3.00GHZ,2X2MB L2 CACHE, 667, DELL PRECISION 490 MEMORY: 4GB, DDR2 ECC SDRAM MEMORY 533MHZ, 2X2GB, DELL PRECISION 490/690, FACTORY INSTALL KEYBOARD: SMART CARD READER KEYBOARD USB,DELL PRECISION MONITOR: MONITOR OPTION-NONE VIDEO CARD: 128MB PCIE X16 NVIDIA,QUADRO NVS 285,DUAL DVI OR VGA GRAPHICS CARD, DELL PRECISION X90 HARD DRIVE: 80GB S</p> | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|---------|------|--|-----|---|

|         |      |  |     |   |
|---------|------|--|-----|---|
| 1006058 | Dell | <p>NEW 3.4GHz/800Mhz/16mb Cache Dual-Core Intel Xeon 7140M Processor, PowerEdge 6800 (222-5632)</p> <p>Processor:</p> <p>NEW Quad 3.4GHz/800Mhz/16mb Cache, Dual-Core Intel Xeon 7140M Procssrs</p> <p>Memory:</p> <p>4GB, DDR2, 400MHz (4X1GB) Mirroring Enabled, Single Ranked DIMMs</p> <p>Keyboard:</p> <p>No Keyboard Selected</p> <p>Hard Drive:</p> <p>5X300GB 10K RPM Ultra 320 SCSIHard Drive</p> <p>Hard Drive Controller:</p> <p>PERC4/eDC, 2 Internal Channels0 External Channels</p> <p>Floppy Disk Drive:</p> <p>1.44MB Floppy Drive</p> | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 1005931 | Dell | <p>VA CLIN: BASE UNIT: DELL PRECISION 390 CONVERTIBLE MINITOWER,PC PROCESSOR E6300 1.86GHZ, 1066, 2MB L2 DC/VT (222-3400) PROCESSOR: MINI-TOWER CHASSIS CONFIGURATION WITH 1394 CARD DELL PRECISION 390 MEMORY: 2GB, 533MHZ, DDR2 NECC SDRAM MEMORY, 2X1GB, DELL PRECISION 390 KEYBOARD: ENTRY LEVEL, USB, NO HOT KEYS KEYBOARDS, DELL PRECISIONWORKSTATIONS MONITOR: DELL ULTRASHARP 1707FPV FLAT PANEL W/HEIGHT ADJUSTABLE STAND,17.0 INCH VIS,OPTIPLEX, PRECISION AND LATITUDE</p> <p>VIDEO CARD: ATI FIRE GL V7200, 256MB DUAL VGA</p>             | 18% | Workstations, Thin Client<br>Desktops & Notebooks |

|           |                   |   |     |   |
|-----------|-------------------|---|-----|---|
| 1001909   | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|           |                   | VA CLIN: BASE UNIT: LATITUDE D520, INTEL<br>CORE 2 DUO T5500, 1.66GHZ, 667MHZ, 2ML2<br>CACHE, DUAL CORE (222-6943) PROCESSOR:<br>15 INCH XGA LCD FOR LATITUDE D520  |     |   |
|           |                   | MEMORY: 1.0GB, DDR2-533 SDRAM, 2 DIMM<br>FOR DELL LATITUDE NOTEBOOKS KEYBOARD:  |     |   |
|           |                   | INTERNAL ENGLISH KEYBOARD FOR LATITUDE<br>D520 HARD DRIVE: 40GB HARD DRIVE 9.5MM,<br>5400RPMFOR DELL LATITUDE DX20 FLOPPY<br>DISK DRIVE: NO FLOPPY DRIVE FOR LATITUDE<br>D-FAMILY NOTEBOOKS OPERATING SYSTEM:<br>WINDOWS XP PROFESSIONAL, SP2 WITH<br>MEDIA, FOR LATITUDE ENGLISH, FACTORY<br>INSTALLED T |     |   |
| 1005932   | Dell              | VA CLIN: ULTRASHARP 1707FP BLACK FLAT<br>PANEL MONITOR, TAA COMPLIANT, WITH 3<br>YEAR WARRANTY  | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 320-4366  | Dell              |   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
|           |                   | Voltage Reg Module Card,12v Type 9.1 for Dell<br>PowerEdge 68X - Accessory  |     |   |
| 14-000040 | Wave Systems Corp | Wave EMBASSY® Authentication Server   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 14-000016 | Wave Systems Corp | Wave EMBASSY® Key Management Server   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 14-000045 | Wave Systems Corp | Wave EMBASSY® Network Access Control  | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 14-000044 | Wave Systems Corp | Wave EMBASSY® Remote Administration Server  | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 14-000036 | Wave Systems Corp | Wave EMBASSY® Trust Suite Enterprise  | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 14-000047 | Wave Systems Corp | Wave Security Management Bundle   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 14-000048 | Wave Systems Corp | Wave Strong Authentication Bundle   | 18% | Workstations, Thin Client<br>Desktops & Notebooks |
| 14-000060 | Wave Systems Corp | Wave TPM Administration Bundle  | 18% | Workstations, Thin Client<br>Desktops & Notebooks |

1033/341-2294

Dell

Workstation 250GB Hard Drive – same hardware as item 0001H and 0002H – government installed for small footprint or expandable workstation

Includes Cable,SATA,1 Data Cable Additional Hard Drive,OptiPlex GX280,GX620 and GX520 Minitower,Customer Install (310-6308)

18%

Workstations, Thin Client  
Desktops & Notebooks